



Owner's Manual

EN



Kiddie Kick Scooter

Read and save this instruction manual before
allowing your child to use this product !

Model Number: TC11

EN71. Phthalate APPROVAL.

Maximum rider weight: 20 kgs (44 LBS).

**JD BUG Kiddie Kick Scooter Owner's Manual
+Safety Handbook**

Table of Contents

Parts and Components-----2
Assembly-----3
Safety Tips-----4
Maintenance-----5
Limited Warranty-----5

This manual contains important safety, performance and maintenance information. Read the manual carefully before taking your first ride and keep the manual handy for future reference.



AN IMPORTANT MESSAGE TO PARENTS:

This manual contains important safety information. For your child's safety, it is your responsibility to review this information with your child and make sure that your child understands all warnings, cautions, instructions and safety topics. JD BUG recommends that you periodically review and reinforce the information in this manual with younger riders and that you are required to inspect and maintain your child's scooter to insure their safety.



GENERAL WARNING: Scooter riding can be a hazardous activity even under the best of circumstances. This manual contains many warnings and cautions concerning the consequences of failing to maintain or inspect your Kiddie Kick Scooter. Many of the warnings say "you may lose control or fall." Because any fall can result in serious injury or death, we do not repeat the warning of possible serious injury or death each time the risk of falling is mentioned.

This Limited Warranty will be void if the product is ever: used in a manner other than for recreation or transportation; modified in any way; or rented.

Check local laws and regulations to see where you may ride your scooter legally.

The manufacturer is not liable for incidental or consequential loss nor damage due directly or indirectly from the use of this product.

IMPORTANT NOTICES

Read the owner's manual thoroughly prior to assembly.

Be careful not to misplace or lose small parts when unpacking.

Assembly must be performed by an adult with mechanical experience.

Do not allow more than one child to use this product at the same time.

Weigh limit: 44 pounds (20 kilograms).

To obtain service under this warranty you must, within the warranty period, please contact with your local distributor for service.

Authorized warranty service is ONLY available from JD Components Ltd.

Specifications subject to change without notice.



D. Avoid water, speed bumps, sand, gravel, and anything that could cause you to slip and fall.

E. Tighten all bolts, and make sure the cylinder, T-tube extensions, and handlebars are locked in place before riding.


F. Do not modify the scooter in any way.

G. Maintain a hold on the handlebars at all times.

H. Do not ride in crowded public areas. Please make sure the environment is safe for riding.

I. Do not ride down hills or on any slope at all.

J. The maximum weight allowed is 44 pounds (20 kilograms). Heavier riders are advised to purchase the JD BUG, which is designed for riders up to 110 pounds (50 kilograms).

 **WARNING:** Ride only on smooth hard surfaces. The Kiddie Kick Scooter was not intended for off-road, hilly terrain, or indoor use. Use caution when near curbs, uneven pavement, potholes or similar conditions.

3. Maintenance


Keep your scooter clean. Wipe with a damp cloth to remove dust and dirt.

4. Limited Warranty

This Limited Warranty is the only warranty for the JD BUG Kiddie Kick Scooter. There is no other express or implied warranty. The only uses for this product are described in this manual.

The manufacturer warrants this product to be free of manufacturing defects for a period of six months from date of purchase. This Limited Warranty does not cover grips, the tires and wheels or normal wear and tear, nor any damage, failure or loss caused by improper assembly, maintenance, storage or use of the Kiddie Kick Scooter.

Part and Components



TOOLS REQUIRED FOR PROPER ASSEMBLY


5mm Allen wrench

1. Assembly Instructions




! WARNING: Failure to properly install and tighten the handlebar T-tube clamp may cause the rider to lose control and fall. Assembly must be performed by an adult with mechanical experience. If you do not understand these instructions or the concept of "tighten securely" seek the assistance of a qualified mechanic.

ASSEMBLY INSTRUCTIONS:


- Slide the T-tube assembly onto the exposed threads of the fork. The screw head of the clamp should be on the right side of the user. The inclined side of the fork should be towards rider's direction (Refer to the below photo A).
- With the front wheel pointed straight ahead and the handlebars square to the front wheel, tighten the clamp as shown. Tighten securely with torque over 130kgf. (Refer to the below photo B).
- Align the spring buttons with the holes on the T-tube and insert the handlebar until the spring buttons are engaged as shown on below photo C.
- Adjust the handlebar height to a position where the spring button with the hole on the tube using the quick release. Push the lever closed to lock the T-tube position. (Refer to the photo D on page 4)



3



! WARNING: Failure to properly engage the spring-loaded buttons may cause the handlebars to dislodge while riding and may cause you to lose control and fall. When correctly engaged, the handlebars will not rotate nor will they move sideways. Note that when properly engaged, the spring-loaded buttons are clearly visible in the holes on the T-tube as shown on photo C.



! WARNING: Failure to properly engage the quick-release clamp may cause the T-tube to telescope up or down while riding which may cause you to lose control and fall. With the quick-release properly engaged, the handlebars will not move up or down.

2. JD BUG Safety Tips

- Kids under 4 year of age shouldn't ride the JD Bug Kiddie Kick Scooter without adult supervision.
- Never ride the JD BUG Kiddie Kick Scooter at dusk or at night.

! WARNING: Do not ride on wet, slippery surfaces or icy conditions. You will lose traction and could fall.

- Always wear proper protective equipment, such as an ANSI, SNELL, CPSC or ASTM approved helmet. Long sleeve shirt, gloves, long pants, shoes, and elbow and knee pads are recommended. Wear athletic shoes (lace-up shoes with rubber soles). Don't ride barefoot or in sandals.

4